















September 2022







Nilco - your professional business partner

From the day on H.Wilhelm Kicherer has taken our first steps in Stuttgart, Germany in 1961; Nilco is a brand that produces projects for the cleaning and hygiene of industrial areas such as hotels, hospitals, schools, factories, airports, shopping centres all over the world and serves you with the innovations it adds to your life.

With more than 50 years of experience and unarguable quality, Nilco offers a complete system in every sense of industrial floor cleaning and maintenance. Nilco has been gained a place in a Turkish and nearby geography markets within the body of Saruhan Companies since 1985. Nilco enables you to reach an effective cleaning and hygiene standard as well as providing professional solutions with products, system equipment and after-sales services to all sectors that need hygiene and cleaning. Nilco supports its customers with training activities of after sales expert staff. As Nilco, our goal is to provide sustainable customer satisfaction.

We also invite you to experience Nilco products.



We always keep the after-sales satisfaction at the highest level with our wide sales network and technical service services by standing by Nilco customers. We offer superior service quality from spare parts to training and demo demands in every level.



Choosing and applying the correct product for right purpose has importance. Nilco Academy is an academy where the use of products and systems, professional skills and competencies of people according to their level are discussed and trained both theoretically and practically. As Nilco, our goal is able to add plus value to the sector and sector employees.



Nilco offers a wide range of appropriate products such as vacuum machines, wet and dry industrial vacuum machines, floor cleaning and maintenance machines, polishing machines, carpet washing machines, road sweepers for indoor and outdoor applications.

Nilco offers appropriate solutions for the special needs of the customer. Our machines specific to the work has extremely high quality as well as also has the capacity to work with full efficiency. Nilco helps reduce costs by significantly reducing time spent for cleaning.

Nilco offers innovative design, easy-to-use, user-friendly and Europeanstandard products in out-of-home areas such as public buildings, hotel, hospital, cleaning companies, vehicles, workshop and office.

INDEX

SMALL SIZE WALK-BEHIND FLOOR CLEANING AND MAINTANENCE MACHINES Indigo 36 E - 36 B MEDIUM SIZE WALK-BEHIND FLOO CLEANING AND MAINTANENCE	4	FLOOR CLEANING AND POLISHING MACHINES 330 401 Vario Ultra 550	18 19 20	CARPET WASHING MACHINES IC 390 IC 490 S 270 OUTDOOR SWEEPERS	35 36 37
MACHINES		DRY VACUUM MACHINES		PS 8650	39
Indigo 431 E - 431 B	6	TB 275	22		
Indigo 450 E - 450 B PRO	7	Combi 17-46	23	CHEMICALS	40
LARGE SIZE WALK-BEHIND FLOOR CLEANING AND MAINTANENCE MACHINES Indigo 50 B	9	S 20 Eco Power S 12 RS 17 / RS 17-A (Battery-Operated)	242627		
Indigo BT 670	10	IC 225	28		
RIDE-ON FLOOR CLEANING AND MAINTENANCE MACHINES Indigo BR 750 Indigo BRX 1100 Indigo BRX 1500 Indigo BRX 2048 BRC 90	12 13 14 15 16	WET - DRY VACUUM MACHINES IC 335 IC 640 P 270 P 310	30 31 32 33		

SMALL SIZE WALK-BEHIND FLOOR CLEANING AND MAINTENANCE MACHINES









Time saving

Labour saving

Water onsumption saving

quality improvement



Indigo 36 E - 36 B



Provides the opportunity to work efficiently in narrow areas with its compact structure.

Gives excellent results in cleaning even under the most difficult conditions of use.

Electrical and battery- operated options are available.

FOR SMALL AREAS

- Easy to carry and store with the folding feature of the operating lever
- Offers the easy to use advantage in the cleaning companies, markets, offices, small stores, schools and small narrow areas
- Easily removable brush
- Removable dirty water tank
- Charger is included in the battery-operated model.
- Traceless wheels
- Optional disc can be inserted and used with the help of pad
- Adjustable water release according to the pollution condition

Features	36 E	36 B
Voltage (V)	230	12
Operating Width (cm)	36	36
Vacuum Width (cm)	46	46
Max. Operating Capacity (m²/s)	1260	1260
Clean Water Tank Capacity (L)	11	11
Dirty Water Tank Capacity (L)	13	13
Brush Motor Power (W)	370	250
Vacuum Motor Power (W)	400	180
Brush Pressure (kg)	25	22
Sound Level (dB)	73	73
Weight (kg)	38	57 (Battery included)
Dimensions (cm)	120×43×97	120×43×97

MEDIUM SIZE WALK-BEHIND FLOOR CLEANING AND MAINTENANCE MACHINES









Time

Labour

Water consumption saving

Service quality nprovement





Indigo 431 E - 431 B



It is produced for medium width floors in the workplaces and industries such as school, retail stores and workshops. Provides superb results in cleaning thanks to the high brush pressure. The machine moves unshakenly and may easily deal with obstacles thanks to its large wheels. The machine pulls itself forward thanks to the brush rotation.

Optional disc can be inserted and used with the help of pad.

Features	431 E	431 B
Voltage (V)	230	24
Operating Width (cm)	43	43
Vacuum Width (cm)	76	76
Max. Operating Capacity (m²/s)	1750	1750
Clean Water Tank Capacity (L)	35	32
Dirty Water Tank Capacity (L)	40	38
Vacuum Motor Power (W)	750	400
Brush Motor Power (W)	1200	750
Max. Brush Pressure (kg)	34	47
Brush Cycle (rpm)	180	180
Sound Level (dB)	72	72
Weight (kg)	62	122
Dimensions (cm)	80x43x73	85x43x80





Powerful, efficient, convenient and easy to handle.

Gives excellent results in cleaning even under the most difficult conditions of use.

- Fast and easy access to machine parts
- Simple operation control and ease of use
- Battery level indicator
- Traceless wheels
- Charger is included in the battery-operated model
- Optional disc can be inserted and used with the help of pad

Features	450E - PRO	450B - PRO
Voltage (V)	230	24
Operating Width (cm)	50	50
Vacuum Width (cm)	80	80
Max. Operating Capacity (m²/s)	2000	2000
Clean Water Tank Capacity (L)	44	44
Dirty Water Tank Capacity (L)	50 / 60	50 / 60
Ride Type	Mekanik	Mekanik
Vacuum Motor Power (W)	800	400
Brush Motor Power (W)	550	550
Brush Cycle (rpm)	145	145
Brush Pressure (kg)	20	20
Sound Level (dB)	69	69
Weight (kg)	115	180
Dimensions (cm)	116x51x98	116x51x98

LARGE SIZE WALK-BEHIND FLOOR CLEANING AND MAINTENANCE MACHINES









Time

Labour saving

onsumption saving

Service quality improvement









- Easy to use control panel
- Brushing and vacuum indicators
- Battery charge indicator
- Tool-free easily removable and self-lockable top cover
- Tool-free ability to quickly control vacuum motor and filter
- Hour meter
- Quick-lockable, wide mouth liquid detergent tank
- Optional disc can be inserted and used with the help of pad

Features	50 B
Voltage (V)	24
Operating Width (cm)	50
Vacuum Width (cm)	80
Max. Operating Capacity (m2/s)	2250
Clean Water Tank Capacity (L)	67
Dirty Water Tank Capacity (L)	75 / 95
Ride Type	Mekanik
Brush Pressure (kg)	35
Brush Motor Power (W)	600
Vacuum Motor Power (W)	400
Sound Level (db)	72
Weight (kg)	150
Dimensions (cm)	135 x 56 x 102

Indigo BT 670



Offers deep cleaning opportunity for large areas thanks to its travel motor, easy to use and double brushes.

While 2-brush system follows the wall edges, ensures easy removal of dirt from hard-to-reach areas, floors have a flawless appearance.

Can be used easily in places where there is human traffic by leaving a dry surface thanks to vacuum rubbers providing high suction.

- Optional disc can be inserted and used with the help of pad.
- Hour meter

BT 670
24
66 (2 X 33 cm)
80
2970
67
75 - 95
Automatic
24
150
400
450
200
76
109
135 x 56 x 102

RIDE-ON FLOOR CLEANING AND MAINTENANCE MACHINES









Time

Labour

Water onsumption saving

Service quality aprovemen











Indigo BR 750



Provides easy ride and cleaning in narrow and low areas thanks to its ergonomic design. Especially due to its small size, you can pass through the doors and clean the corridors easily.

- Ability to automatically adjust the amount of detergent
- Brush and vacuum rubber lowering-lifting is mechanical
- Automatic brush and water stop system when machine stops
- Gives a good visibility when cleaning, offers easily cleaning in narrow areas thanks to its superior manoeuvrability.
- Optional disc can be inserted and used with the help of pad

Features	BR 750
Voltage (V)	24
Operating Width (cm)	66 (2 X 33 cm)
Vacuum Width (cm)	85,5
Max. Operating Capacity (m²/s)	3250
Clean Water Tank Capacity (L)	80
Dirty Water Tank Capacity (L)	85
Brush Pressure (kg)	32
Brush Cycle (rpm)	170
Brush Motor Power (W)	2x400
Vacuum Motor Power (W)	400
Travel Motor Power (W)	400
Max. Slope (Empty-Full Tank)	%13 - %10
Sound Level (dB)	71
Weight (kg)	160
Dimensions (cm)	123 x 63 x 121





Easy to drive even in small and medium-sized areas, also provides efficient cleaning comfortable seat, ergonomic use, large tank capacity, 75 cm brushing width.

- Continuous pressure on the brushes over 50 kg
- Large filling tank capacity ensures reducing the number of stops and maximum use of the battery for efficient use of the machine.
- Balanced ride even if the tank is full
- Dirty water tank sight glass for cleaning and daily use. Easy access to electrical connection components
- Anti-foam system
- Automatic brush and water stop system when machine stops
- Self-level adjusting brushes according to the floor
- Automatic rubber lifting system when going back
- Optional disc can be inserted and used with the help of pad

Features	BRX 1100
Voltage (V)	24
Operating Width (cm)	75 (2 x 36 cm PP brush)
Vacuum Width (cm)	90
Max. Operating Capacity (m²/s)	3750
Clean Water Tank Capacity (L)	110
Dirty Water Tank Capacity (L)	130-155
Brush Cycle (rpm)	170
Brush Pressure (kg)	50
Vacuum Motor Power (W)	400
Travel Motor Power (W)	600
Brush Motor Power (W)	2 x 400
Ride Type	800
Weight (kg)	220
Dimensions (cm)	146x81x138

Indigo BRX 1500



- Large filling tank capacity ensures reducing the number of stops and maximum use of the battery for efficient use of the machine
- Perfect balance even if the tank is full
- High manoeuvrability thanks to independent front wheels
- Easy access to electrical parts
- Automatic vacuum rubber lifting system when reversing
- Automatic brush and detergent input system when machine stops
- Anti-foam system
- Self-lifting brushes
- Optional disc can be inserted and used with the help of pad.

Features	BRX 1500
Voltage (V)	24
Operating Width (cm)	90 (2 x 46 cm PP brush)
Vacuum Width (cm)	100
Max. Operating Capacity (m²/s)	6200
Clean Water Tank Capacity (L)	140
Dirty Water Tank Capacity (L)	150 - 180
Vacuum Motor Power (W)	550
Travel Motor Power (W)	1000
Brush Cycle (rpm)	150
Brush Pressure (kg)	50
Brush Motor Power (W)	1250
Weight (kg)	238
Dimensions (cm)	180x103x150



*We offer the best performance in cleaning with Nilco Stark.









- Excellent results, comfort, efficiency in floor cleaning.
- Efficient cleaning is achieved by the Nilco Indigo BRX 2048 with large tank capacity, high pressure brushes, wide vacuum rubber, automatic speed adjustment and detergent amount according to dirt type.
- Optimum weight distribution ensures perfect cleaning performance at every point of the floor and its compact structure and strong manoeuvrability allow easy cleaning even if in narrow areas.
- Its unique anti-foam device increases working performance by preventing foam formation.
- Quick discharge of dirty water after cleaning provides effortless cleaning.
- Optional disc can be inserted and used with the help of pad.

Features	BRX 2048
Voltage (V)	36
Operating Width (cm)	102 (2 x 48 cm PP Brush)
Vacuum Width (cm)	125
Max. Operating Capacity (m²/s)	7140
Clean Water Tank Capacity (L)	200
Dirty Water Tank Capacity (L)	210 - 240
Brush Cycle (rpm)	150
Brush Pressure (kg)	120
Brush Motor Power (W)	1500
Travel Motor Power (W)	900
Max. Slope (Empty - Full Tank)	% 10 - % 8
Vacuum Motor Power (W)	550
Weight (kg)	375
Dimensions (cm)	190 x 112 x 145 cm



*We offer the best performance in cleaning with Nilco Cleanmat



BRC 90



A combined floor cleaning machine that can sweep and clean the parking lots, warehouses, factories, stations, shopping malls.

- Does not cause to dust raising thanks to its water spray feature.
- When the pre-sweeper brushes meet with obstacles, they close and then open.
- Has maneuverability even if in narrow areas thanks to 86 cm turning circle.
- Brush and vacuum rubber pressure are adjusted either at constant pressure or according to the floor.
- Hour meter, horn, battery charge indicator.

Factures	BBC 00
Features	BRC 90
Voltage	24
Sweeping Width (with right front brush) (cm)	88
Sweeping Width (with 2 front brushes) (cm)	106
Operating Width (cm)	85
Vacuum Width (cm)	87
Roller Brush (cm)	85
Cleaning Capacity (m²/s)	8.000
Clean Water Tank Capacity (L)	90
Dirty Water Tank Capacity (L)	100
Detergent Capacity (L)	3
Solid Waste Chamber Capacity (L)	30
Total Motor Power (W)	3.160
Max. Climbing Slope	20%
Weight (Except Battery) (kg)	373
Dimensions (cm)	140×78×130

FLOOR CLEANING AND POLISHING MACHINES









Time

Labour

Water onsumption saving

Service quality nprovement









Detergent tank, washing and polishing pads, carpet and hard floor cleaning, hard floor brushes can be used depending of the type of the floor to be applied and operation to be made and the water tank can be assembled easily.

Only powerful induction motors are used in order to control the weight of the machine which cannot be underrated.

- · Works in silent.
- Equipped with large wheels for easy carriage.
- High torque belt drive unit is extremely silent and has low vibration. This high torque transmission also ensures maximum cleaning.
- Brush protection absorbing impacts ensures all-round protection to sweeper and furniture.
- Can be used for carpet cleaning with carpet washing brush.

Features	330
Voltage (V)	230
Motor Power (W)	1200
Operating Distance (m)	12.5
Operating Width (mm)	440
Operating Height (mm)	370
Operating Type	Poly-V-belt
Brush Cycle (Cycle/Min)	160
Weight (kg)	30
Sound Level (dB(A)	55



*We offer perfect polishing with Nilco Crystallizer.







Detergent tank, wash and polishing pads, carpet and hard floor scrubber, hard floor brushes and polish tank can be easily assembled depending of the type of the floor to be applied and operation to be made.

Produces foam with low humidity. Foam is supplied from the nozzle located in the middle of the bottom of the machine and distributed on the carpet with a carpet brush.

- Ensures faster drying.
- Easy to use.
- Does not cause to fade the carpets.
- Does not damage the carpet.
- Does not leave any smell.
- Water tank
- Foam generator kit
- Carpet brush

Features	401
Voltage (V)	230
Motor Power (W)	1200
Operating Distance (m)	12,5
Operating Width (mm)	430
Operating Type	Pol V kayış
Brush Cycle (Cycle/Min)	165
Sound Level (dB(A))	58
Weight (kg)	34
Dimensions (mm)	49x46x105



We offer perfect cleaning on your carpets with Dry Foam.





Allows long-term use by minimizing the vibration reaching to the user. Ensures safe use thanks to its special trigger lock.

Ensures effective shine on the floor in a short time.

- A high speed polishing machine with 1200W power
- Has special driving equipment for left and right movement.
- Disc revolution speed 1100 cycle/min
- Operating width 50 cm
- Easy plug-in accessories

Features	VARIO ULTRA 550
Voltage (V)	230
Motor Power (W)	1320
Operating Distance (m)	20
Operating Width (cm)	53
Operating Height (cm)	15/35
Operating Type	Poly-V-belt
Brush Cycle (Cycle/Min)	1100
Sound Level dB (A)	67
Weight (kg)	46



*We offer maintenance and perfect and unique shine on your floors with Nilco Right.



DRY VACUUM MACHINES









Time

Labour

Water consumption saving

Service quality aprovemen

















CARPET BEATING FEATURE WITH BRUSH

Ensures fast and safe cleaning in large carpet covered areas (mosque, conference hall, dormitory, office and similar areas) that require vacuum cleaning in professional standards.

It is also appropriate for vacuuming coarse debris such as stones and nails and sand; therefore it is ideal for cleaning of the construction sites.

- Ensures effective cleaning on carpets thanks to motor-driven roller brush.
- Base of the vacuum apparatus can be easily removed for maintenance and repair.
- Electronic protection feature against clogging

SAVE TIME WITH THE LARGE FLOOR APPARATUS

Features	TB 275
Voltage (V)	230
Total Motor Power (W)	600
Vacuum Motor Power (W)	-
Water Lift Pressure (kPA)	3.8
Air Flow (I/sec)	45
Operating Distance (m)	16
Operating Width (cm)	36
Dust Bag Capacity Litres	10
Adjustment by Floor Height	Automatic
Sound Level (dB)	79
Weight (kg)	10.7
Dimensions (cm)	44×37×113





CARPET BEATING FEATURE WITH BRUSH

Ensures fast and safe cleaning in large carpet covered areas (mosque, conference hall, dormitory, office and similar areas) that require vacuum cleaning in professional standards.

- Ensures effective cleaning on carpets thanks to motor-driven roller brush.
- Directly cleans floors, cabinets and under beds with vacuum accessory.
- Long vacuum hose is highly flexible.
- Base of the vacuum apparatus can be easily removed for maintenance and repair.
- Can be adjusted in 3 stages according to the carpet type.
- Electronic protection feature against clogging
- Height adjustment feature

Features	СОМВі 17-46
Voltage (V)	230
Brush Motor Power (W)	300
Vacuum Motor Power (W)	600
Water Lift Pressure (kPA)	22
Air Flow (I/sec)	30
Operating Distance (m)	14
Operating Width (cm)	46
Dust Bag Capacity Litres	6
Toz Torbası Dolum Göstergesi	V
Adjustment by Floor Height	Automatic-Manuel
Sound Level (dB)	82
Weight (kg)	9.7
Dimensions (cm)	25×47×124

S 20 Eco Power







SUPER SILENT TECHNOLOGY.

Quietest, Powerful and Professional Dry Vacuum Machine Developed by Nilco

- S20 Eco Power is a combination of superior engineering, technical innovation and ergonomic design.
- Ensures comfortable use in hotels, libraries and offices with low sound level.

ECO Power

 Compressor technology is ensured by a fast rotating and aerodynamically optimized turbine and this also creates a strong vacuum


Super Silent Technology

• Super silent technology of the motor is ensured with developed low-vibration bearings, low noise multistage airflow, sound reduction on the body and low noise special vacuum apparatus.





DISTINCTIVE FEATURES



Features	S20 ECO POWER
Voltage (V)	230
Dry Vacuum	\checkmark
Max Motor Power (W)	800
Air Flow Max (L/sec)	31
Water Lift Pressure (kPa)	22.5
Operating Distance (m)	15
Total Tank Capacity (L)	16
Accessory Diameter (Ø mm)	35
Sound Level (dB)	54-69
Weight (kg)	5.8
Dimensions (cm)	32x32x37



Compact, practical and robust design with high vacuum power.

It is effectively used in offices, shops, restaurants, hotels, stores.

- Impact resistant body
- 5 wheels for high stability and manoeuvrability
- Comfort of use; preventing damage to furniture thanks to buffer edges surrounding the machine
- Plastic vacuum tube
- 2.5 m vacuum hose with vacuum adjustment and elbow control
- Cleaning apparatus for carpets and hard surfaces
- Edge-corner apparatus
- Upholstery nozzle
- SMS dust bag
- Textile filter







Features	S 12
Voltage (V)	220-240
Dry Vacuum	\checkmark
Max. Motor Power (W)	750
Water Lift Pressure (kPa)	22.5
Air Flow (I/sec)	31
Operating Distance (m)	13.5
Total Tank Capacity (L)	12
Sound Level (dB)	< 74
Weight (kg)	5.9
Dimensions (cm)	40×40×39





Backpack-type vacuum machines has been developed for effective and fast cleaning in narrow and tight areas such as cinema, theatre, conference hall, aircraft and. Provides comfortable use with padded waist and shoulder strap.

RS17-A which offers cleaning in large areas away from the plug outlet is also very successful in stair cleaning.

Both model has dust bag.

Features	RS 17	RS 17-A
Voltage (V)	230	24
Dry Vacuum	$\sqrt{}$	$\sqrt{}$
Motor Power (W)	650	300
Total Capacity (L)	6	6
Water Lift Pressure (kPa)	21	10
Air Flow (I/sec)	-	19.8
Battery Type And Capacity	-	Li-Ion 11.600mAh
Operating Time (min)	-	60
Charging Time (hour)	-	4
Dust Capacity (L)	7	6
Sound Level (dB)	77	69
Weight (Kg)	5,5	6
Dimensions (Cm)	21x30x59	21 X 30 X 71











- Vacuums all kinds of small dirt and dust particles perfectly.
- Suitable for use in all industrial areas thanks to its durable steel body.
- Resistant to impacts thanks to buffer surrounding the chamber.
- Edge corner apparatus, furniture brush, upholstery apparatus are available.

Features	IC 225
Voltage (V)	220
Dry Vacuum	\checkmark
Max Motor Power (W)	1600
Water Lift Pressure (kPa)	19
Air Flow (I/sec)	32
Operating Distance (m)	13.5
Total Tank Capacity (L)	19
Sound Level (dB)	< 79
Weight (kg)	7.5
Dimensions (cm)	42,5x42,5x51

WET - DRY VACUUM MACHINES









Time

Labour

Water onsumption

Service quality nprovement













With wet dry vacuum machines; all kinds of metal shavings, cardboard pieces, sawdust, small stones, sand, leaves, dust and waste water are cleaned.

All kinds of water, fine and coarse dust are easily vacuumed on marble, vinyl floor, concrete, carpet and plastic covered floors in factories, production areas and industrial areas.

- By-pass motor-driven
- AISI 304 (First quality) stainless steel body
- Lower guard against impacts
- Self-cooling in long-term operation
- Apparatuses completing the strong vacuum

- Plastic vacuum tube
- Elbow controlled vacuum adjustment
- 1,8 m vacuum hose
- Floor cleaning apparatus
- Wet floor apparatus, Edge-corner apparatus
- Furniture brush, upholstery brush
- Foam filter
- Textile filter, Star filter
- Buoy system / Motor protection

Features	IC 335
Voltage (V)	220
Wet-Dry Vacuum	$\sqrt{}$
Max. Motor Power (W)	1600
Water Lift Pressure (kPa)	25.5
Air Flow (I/sec)	32
Operating Distance (m)	14
Total Tank Capacity (L)	30
Sound Level (dB)	< 74
Weight (kg)	9
Dimensions (cm)	42,5x42,5x60





With wet dry vacuum machines; all kinds of metal shavings, cardboard pieces, sawdust, small stones, sand, leaves, dust and waste water are cleaned.

All kinds of water, fine and coarse dust are easily vacuumed on marble, vinyl floor, concrete, carpet and plastic covered floors in factories, production areas and industrial areas.

- By-pass motor-driven
- AISI 304 (First quality) stainless steel body
- Self-cooling in long-term operation
- Apparatuses completing the strong vacuum
- Chamber providing easy discharge by tilting

- Plastic vacuum tube
- Elbow controlled vacuum adjustment
- 2,5 m vacuum hose
- Floor cleaning apparatus
- Wet floor apparatus, Edgecorner apparatus
- Furniture brush, upholstery brush
- Foam filter
- Textile filter, Star filter
- Buoy system / Motor Protection

Features	IC 640
Volt (V)	220
Wet-Dry Vacuum	$\sqrt{}$
Max. Motor Power (W)	1600
Water Lift Pressure (kPa)	25.5
Air Flow (I/sec)	32
Operating Distance (m)	16
Total Tank Capacity (L)	40
Sound Level (dB)	< 74
Weight (kg)	15.4
Dimensions (cm)	60x44x92



- Independent operation feature of motors
- Heat resistant stainless steel body
- Buoy System / Motor Protection
- Self-cooling in long-term operation

- Plastic vacuum tube
- Elbow controlled vacuum adjustment
- 2,5 m vacuum hose
- Floor cleaning apparatus, Wet floor apparatus, Edge-corner apparatus
- Furniture brush, Textile filter, Star filter

Features	P 270
Voltage (V)	220-240
Max Motor Power (W)	2×1100
Water Lift Pressure (kPa)	20
Air Flow (I/sec)	53
Operating Distance (m)	14
Total Tank Capacity (L)	70
Discharge by Tilting Over	$\sqrt{}$
Sound Level (dB)	74
Weight (kg)	25
Accessory Diameter (Ø mm)	38
Dimensions (cm)	68x60x97





- Independent operation feature of motors
- Heat resistant stainless steel body
- Buoy System / Motor Protection

- Plastic vacuum tube
- Elbow controlled vacuum adjustment
- 2,5 m vacuum hose
- Floor cleaning apparatus, Wet floor apparatus, Edge-corner apparatus
- Furniture brush, Textile filter, Star filter

Features	P 310
Voltage (V)	220-240
Max Motor Power (W)	3×1100
Water Lift Pressure (kPa)	20
Air Flow (I/sec)	60
Operating Distance (m)	14
Total Tank Capacity (L)	100
Discharge by Tilting Over	$\sqrt{}$
Sound Level (dB)	76
Weight (kg)	28
Accessory Diameter (Ø mm)	38
Dimensions (cm)	68x60x104

CARPET CLEANING MACHINES









Time saving

Labour saving

Water nsumption

Service quality mprovement











It is used for armchair and carpets cleaning; furthermore, is used when spraying and suction features are required. Practical to use if local cleaning is to be done. Suitable for hospital, Hotel, Office, Mosque cleaning and Car Washing.

- 2 pieces 2 -stage silent motor
- Professional closing hooks
- Fully removable detergent tank
- Ergonomic handle for tank, nozzle and trolley
- Ergonomic filter cleaning
- 10 m electrical cable
- Upholstery cleaning nozzle
- Traceless wheels

Features	IC 390
Max. Motor Power (W)	2400
Cleaning Pressure (bar)	5
Air Flow (L/sec)	108
Water Lift (kpa)	22
Total Tank Capacity (L)	78
Detergent Tank Capacity (L)	11
Weight (kg)	29.5
Dimensions (cm)	62×51×99



*We offer perfect cleaning on your carpets with Fakir Carpetmatic.





It is used for armchair and carpets cleaning; furthermore, is used when spraying and suction features are required. Especially effective in large area cleaning. Suitable for hospital, Hotel, Office, Mosque cleaning and Car Washing.

- Practical dirty water discharge system (on-site discharge
- Upholstery cleaning nozzle

Features	IC 490
Max. Motor Power (W)	2400
Cleaning Pressure (bar)	4
Air Flow (L/sec)	117
Water Lift (kpa)	24.7
Total Tank Capacity (L)	62
Detergent Tank Capacity (L)	25
Weight (kg)	31
Dimensions (cm)	62x51x99



* We offer perfect cleaning on your carpets with Fakir Carpetmatic.







It is used for armchair and carpets cleaning; furthermore, is used when spraying and suction features are required. Especially effective in large area cleaning. Suitable for hospital, Hotel, Office, Mosque cleaning and Car Washing.

- AISI 304 (First class) stainless steel body
- Dirty water tank for easy discharge by tilting over

Features	S270
Max. Motor Power (W)	2200
Pump Pressure (bar)	2x7
Tank Volume (L)	70
Clean Water Tank Capacity (L)	20
Operating Distance (L)	14
Weight (kg)	29,4
Dimensions (cm)	60x86x98



* We offer perfect cleaning on your carpets with Fakir Carpetmatic.



OUTER SWEEPERS









Time

Labour saving

Lasy to use, easy naintenance

Strong vacuum, high







With its high manoeuvrability, it increases efficiency by providing cleaning even if in narrow spaces. Suitable for asphalt, pavement, concrete and hard floors cleanings. Provides safe riding with light warning lamp and reserve warning signal. Suitable to use for hotel, parking lot, warehouse and site areas.

- Side brush vacuum
- Vacuum cut-off system when wet sweeping
- Electrical shaking system
- 120 cm turning circle
- Battery indicator light
- Park brake

Features	PS 8650
Voltage (V)	24
Max. Operating Capacity (m2/h)	6050
Operating width with main roller brush (mm)	624 (390 mm çap)
Operating width with a front brush (mm)	862,5
Operating width with two front brushes (mm)	1100
Collection unit capacity (L)	50
Discharge system	Manuel
Filter (m2)	3
Max. speed (km/h)	6,5
Max. slope (%)	12
Energy type	Batarya
Total power (W)	940
Dimensions (mm)	1240x885x1120
Weight (kg)	185

OOR CARE CHEMICAL

Cleaning chemicals for floor cleaning and maintenance machines

Foam-controlled concentrated industrial cleaning products with an active ingredient specially produced for floor cleaning and maintenance machines in cleaning heavily polluted and greasy hard floors.

ALKOHOLREINIGER

FLOOR CLEANING MACHINE ALCOHOL BASED CLEANING CHEMICAL





An alcohol-based, foam controlled surface cleaning product. It can be used for all water-resistant cleanings. Provides excellent cleaning. Protects natural shine of the cleaned surface, ensures a bright appearance. No rinsing is required. Does not leave trace and stickiness. Dries fast. PH is neutral. Ensures a pleasant scent.

pH (% 1)	6-7
Dosage	Should be diluted in the ratio of 0.05% - 1% according to the tank capacity of the cleaning machines and the density of the dirt
Packing	1 L = 970 g PE Bottle (12 x 1 L parcel)

NONFOAM CLEANER

FLOOR CLEANING MACHINE CLEANING CHEMICAL





It has been formulated for heavy dirt in the industrial facilities, shopping malls, hotels and all industrial areas. Can be used on all alkali resistant surfaces. Foam-controlled. Ensures shiny and stainless cleaning and leaves a pleasant to the environment.

pH (% 1)	10,5-11,5
Dosage	Should be diluted in the ratio of 0.05% - 1% according to the tank capacity of the cleaning machines and the density of the dirt
Packing	20L= 20,4 kg PE Jerry can

CLEANMAT

FLOOR CLEANING MACHINE CLEANING CHEMICAL





It has been formulated for heavy dirt in the industrial facilities, shopping malls, hotels and all industrial areas and is a product suitable to use in in vending machines and pressure cleaning machines. Can be used on all alkali resistant surfaces. Foam-controlled. Ensures shiny and stainless cleaning and leaves a pleasant to the environment.

pH (% 1)	10,5-11,5
Dosage	Should be diluted in the ratio of 0.05% - 1% according to the tank capacity of the cleaning machines and the density of the dirt
Packing	20L= 20,4 kg PE Jerry can

STARK

FLOOR CLEANING MACHINE CLEANING CHEMICAL





A multi-purpose cleaner for floor, wall and general equipment cleanings. Especially used in order to remove heavy industry oils and carbonized dirt. Used in the cleaning machine since it is foam-controlled. Cleans the surface without scratching. Does not leave trace and stickiness. Leaves a pleasant to the environment.

pH (% 1)	12-13
Dosage	Should be diluted in the ratio of 0.05% - 1% according to the tank capacity of the cleaning machines and the density of the dirt
Packing	20 L = 22 kg PE Jerry can









DVANCED



Provides quality since 1961





Contact us for your promotion and other requests.

www.nilcoshop.com

Nilco Temizlik Makineleri ve Kimyasalları San. Tic. A.Ş.

Head Ofis

Saruhan Plaza Halkalı Merkez Mah. Basın Ekspres Yolu No: 39 Küçükçekmece - İstanbul Tel (+90 212) 698 07 77 - Fax (+90 212) 698 47 23 www.nilco.com.tr - info@nilco.com.tr

Machinery and Chemistry Complex

Velimeşe Organize Sanayi Bölgesi ÇORLU/TEKİRDAĞ

/nilcoofficial

in/nilco-global-hygien-solutions

f)/nilcoofficial

Nilco Reinigungsmaschinen

nilco Reinigungsmaschinen GmbH

Industriestraße 6 \cdot 71665 Vaihingen / Enz Stuttgart / Almanya

Tel: (+49) 7042 912-122 Fax: (+49) 7042 4307

www.nilco.de



www.nilco.com.ti